

Index Volume 15

Author index

- Hamid A. Light microscopic findings in Pakistani children with chronic bullous disease of childhood. 9
- Hussain A, Khalid M, Shaheen JA, Ahmad I. Prevalence and pattern of psychiatric disorders among dermatological patients. 13
- Khalid M see Hussain A.
- Shaheen JA see Hussain A.
- Ahmad I see Hussain A.
- Noor SM, Khan MM, Hussain D. Intralesional chloroquin in cutaneous leishmaniasis. 18
- Khan MM see Noor SM.
- Hussain D Khan MM, Hussain D.
- Nasreen S, Wahid Z, Ahmad I. Cutaneous side effects of oral corticosteroid therapy. 22
- Wahid Z see Nasreen S.
- Ahmad I see Nasreen S.
- Bari AU, Iftikhar N, Rahman SB, Comparison of PUVA and UVB therapy in moderate plaque psoriasis. 26
- Iftikhar N see Bari AU.
- Rahman SB see Bari AU.
- Shaheen JA, Khalid M, Kareem A, Ahmad M, Ansari N-U-H, Ahmad I. Clinical evaluation of roxithromycin in acne vulgaris: comparison of daily versus alternate day regimen. 32
- Khalid M see Shaheen JA.
- Kareem A see Shaheen JA.
- Ahmad M see Shaheen JA.
- Ansari N-U-H see Shaheen JA..
- Ahmad I see Shaheen JA.
- Ejaz A. Safety of short-term cyclosporine in atopic dermatitis. 37
- Mashhood AA, Imran A. Pathogenesis of psoriasis. 42
- Mashhood AA. Injudicious use of antibiotics and the emergence of antibiotic resistance (editorial) 105
- Muzaffar F. Clinical profile and morphologic types of infantile hemangioma. A study of 252 children. 119
- Imran A see Mashhood AA.
- Bari AU. Principles of prescribing and guidelines for use of topical steroids in dermatology practice. 55
- Zaman T, Raza A. Data, variables and measurement scales. 60
- Raza A see Zaman T.
- Hameed A. Novel cryotherapy techniques using liquid nitrogen. 87
- Mashhood AA. Atrophoderma of Pasini and Pierini – is it an autoimmune disease? 89
- Bari AU. Early syphilis: presenting as anal fissure. 92
- Aftab A, Ranjha KM. Ekboms disease (delusional disorder, somatic type): a case report. 96
- Ranjha KM see Aftab A.
- Janjua SA, Hussain I. What caused this plaque? (PhotoDermDiagnosis) 99
- Hussain I see Janjua SA.
- Hussain I, Rashid T. Challenges to dermatology in Pakistan (editorial) 1
- Rashid T. see Hussain I.
- Nadeem M, Rani Z, Aman S, Kazmi AH, Shabbir A. Parthenium weed: a growing concern in Pakistan. 4
- Kazmi AH see Nadeem M.
- Rani Z. see Nadeem M.
- Aman S, see Nadeem M.
- Shabbir A see Nadeem M.
- Soomro FR, Pathan GM, Abbasi P, Bhatti NS, Hussain J, Sarwar G, Bhutto AM, Yoshihisahashiguchi. Clinical trial of 20% *Mat lippia* (bucan) topical ointment for cutaneous leishmaniasis; a preliminary trial 108.
- Pathan GM see Soomro FR
- Abbasi P see Soomro FR
- Bhatti NS see Soomro FR.
- Hussain J see Soomro FR
- Sarwar G see Soomro FR
- Bhutto AM see Soomro FR
- Yoshihisahashiguchi see Soomro FR.
- Pirzada AJ, Iqbal P, Shaikh W, Kazi TG, Ghani KU. Studies on the elemental composition and anti fungal activity of medicinal plant *Lippia nodiflora* L against skin mycosis 113.
- Iqbal P see Pirzada AJ
- Shaikh W see Pirzada AJ
- Kazi TG see Pirzada AJ
- Ghani KU see Pirzada AJ.
- Nasreen S, Wahid Z, Ahmed I. Atopic dermatitis: frequency of associated disorders in children 125
- Wahid Z see Nasreen S.
- Ahmed I see Nasreen S.
- Aamir S, Rashid T, Nabi H, Haroon TS. Superficial chemical peeling with glycolic acid in melasma 130
- Rashid T see Aamir S.
- Nabi H see Aamir S.
- Haroon TS see Aamir S.
- Khan MS, Rani Z, Ahmed ML, Hussain I, Kazmi

- AH. Evaluation and pattern of nickel dermatitis in patients with allergic contact dermatitis 136
Rani Z see Khan MS.
Ahmed ML see Khan MS.
Hussain I see Khan MS.
Kazmi AH see Khan MS.
Ahmed I, Wahid Z, Nasreen S. Alopecia areata; combination therapy with isotretinoin (0.05%) gel and minoxidil (2%) solution 140.
Wahid Z see Ahmed I.
Nasreen S see Ahmed I.
Asad F, Nabi H, Nadeem M. Narrowband ultraviolet B radiation therapy for vitiligo in Asians 146
Nabi H see Asad F.
Nadeem M see Asad F.
Khan MB, Mashhood AA, Qureishi SM. Recent advances in the management of tuberculosis 151.
Mashhood AA see Khan MB.
Qureishi SM see Khan MB.
Manzur A. Cutaneous leishmaniasis 161.
Shafi S. Dapsone: use in immunobullous disorders 172.
Amjad M, Mashhood AA. Cutaneous vasculitis 182.
Mashhood AA see Amjad M.
Prabhu MM, Prabhu SM, Mishra P, Palaian S. Digital gangrene due to dopamine infusion- a case report 197.
Prabhu SM see Prabhu MM.
Mishra P see Prabhu MM.
Palaian S see Prabhu MM.
Bari AU, Manzur A. Mucocutaneous leishmaniasis: does it really exist in Pakistan? 200
Manzur A see Bari AU.
Kamal T. Buerger's disease: a case report. 204
Ejaz A, Raza N, Sohail M. Multiple familial trichoepitheliomas 207.
Raza N see Ejaz A.
Sohail M see Ejaz A.
Ranjha KM, Aslam S, Haq MU. DDS-syndrome: a rare side effect of dapsone in leprosy patients 210
Aslam S see Ranjha KM.
Haq MU see Ranjha KM.
Janjua SA, Hussain I. What caused this bullous eruption? (PhotoDermDiagnosis) 213.
Hussain I see Janjua SA.
Bari AU. Clinical epidemiology for dermatologists (Dermatoepidemiology) 219.
Dubey AK, Prabhu S, Shankar PR, Subish P, Prabhu MM, Mishra P. Cutaneous adverse drug reactions to modern medicines and initial experiences from a Spontaneous adverse drug reaction reporting program in a tertiary care teaching hospital of Western Nepal 222.
Prabhu S see Dubey AK.
Shankar PR see Dubey AK.
Subish P see Dubey AK.
Prabhu MM see Dubey AK.
Mishra P see Dubey AK.
Mahmood T, Bari AU, Agha H. Cutaneous manifestations of diabetes mellitus 227.
Bari AU see Mahmood T.
Agha H see Mahmood T.
Khan MM, Noor SM, Rehman S, Syed A, Khan IM, Hameed K. Cutaneous manifestations of chronic liver disease 233. Noor SM see Khan MM.
Rehman S see Khan MM.
Syed A see Khan MM.
Khan IM see Khan MM.
Hameed K see Khan MM.
Kapadia NF, Khalid G, Burhany T, Nakhoda T. Comparative efficacy and safety and efficacy of systemic 13- cis retinoic acid 20mg/day vs. 40mg/day in acne vulgaris 238.
Khalid G see Kapadia NF.
Burhany T see Kapadia NF.
Nakhoda T see Kapadia NF.
Ahmed I, Wahid Z, Nasreen S. Adverse effects of systemic isotretinoin therapy: a study of 78 patients 242.
Wahid Z see Ahmed I.
Nasreen S see Ahmed I.
Gupta SK, Dogra A, Kaur G. Comparative efficacy of methotrexate and hydroxyurea in treatment of psoriasis 247
Dogra A see Gupta SK.
Kaur G see Gupta SK.
Hameed A, Rani Z, Kazmi AH. Vitiligo: new etiology-based treatments 252
Rani Z see Hameed A.
Kazmi AH see Hameed A.
Bari AU. ABC of dermatology (evidence-based dermatology) 261.
Aman S, Nadeem M, Kazmi AH, Haroon TS. Food and skin 268.
Nadeem M see Aman S.
Kazmi AH Aman S.
Haroon TS see Aman S.
Ejaz A, Raza N, Sohail M. Aplasia cutis congenital in two brothers – a rare occurrence 275.
Raza N see Ejaz A.
Sohail M see Ejaz A.
Janjua SA, Khachemoune A. Keratoelastoidosis marginalis: a case report and review of literature 278.
Khachemoune A see Janjua SA.
Shahzad A, Pal SS, Khurshid K. Cornelia De

- Lange syndrome with generalized pustular psoriasis: a rare coexistence 281.
Pal SS see Shahzad A.
Khurshid K see Shahzad A.
Dogra A, Gupta SK, Bansal A. Papulonecrotic tuberculid of glans penis: a case report 285.
Gupta SK see Dogra A.
Bansal A see Dogra A.
Mashhood AA. Sparse scalp hair and erythematous rash. 288
Bari AU. Blaschkolinear dermatosis: A fascinating dermatological pattern 293.
Rahman SB, Bari. AU. Composition of T cell immune response in cutaneous leishmaniasis 296.
Bari. AU see Rahman SB.
Sikder MAU, Mamun SA, Khan RM, Chowdhury AH, Khan HM, Hoque MM. Topical 0.03% tacrolimus ointment, 0.05% clobetasone butyrate cream alone and their combination in older children with atopic dermatitis - an open randomized comparative study 304.
Mamun SA see Sikder MAU.
Khan RM see Sikder MAU.
Chowdhury AH see Sikder MAU.
Khan HM see Sikder MAU.
Hoque MM see Sikder MAU.
Muzaffar F, Ilyas M, Suhail M, Ejaz A, Rahman SB, Iqbal Z. Keratolytic soaps versus topical azoles in the treatment of pityriasis versicolor 314.
Ilyas M see Muzaffar F.
Suhail M see Muzaffar F.
Ejaz A see Muzaffar F.
Rahman SB see Muzaffar F.
Iqbal Z see Muzaffar F.
Janjua SA, McColl I, Thomas J. Tele dermatology: a step forward 317.
McColl I see Janjua SA.
Thomas J see Janjua SA.
Malik LM, Ahmad TJ. A diagnostic approach towards patients with hirsutism - screening for sinister causes 320.
Ahmad TJ see Malik LM.
Mashhood AA, Rauf S, Qureishi SM. Male sexual disorders 328.
Rauf S see Mashhood AA.
Qureishi SM see Mashhood AA.
Rani Z, Khan MS, Aman S, Kazmi AH. Quality of life issues and new benchmarks in the assessment of skin diseases 339.
Khan MS see Rani Z.
Aman S see Rani Z.
Kazmi AH see Rani Z.
Amjad M. Maffucci's syndrome: a case report 348.
Javed T, Afzal MF, Khan HI. Harlequin fetus: a case report 348.
Afzal MF see Javed T.
Khan HI see Javed T.
Ranjha KM, Aslam S, Mahmood T. Alkaptonuria- a rare metabolic disorder 351.
Aslam S see Ranjha KM.
Mahmood T see Ranjha KM.
Mashhood AA, Qureishi M, Khurshid T. Hyperkeratotic, pigmented papules over the sides of neck in a girl (PhotoDermDiagnosis) 355.
Qureishi M see Mashhood AA.
Khurshid T see Mashhood AA.

Subject index

Atopic dermatitis

- Tacrolimus 304
 - FK506 304
 - clobetasone butyrate 304
 - efficacy (tacrolimus, clobetasone butyrate) 304
 - safety (tacrolimus, clobetasone butyrate) 304
- Dermatology, challenges (editorial) 1, 13
Blaschkolinear dermatitis (editorial) 293
Partehenium hysterothorus 4
Contact dermatitis 222
 - Partehenium hysterothorus* 4cutaneous drug eruption 222
Naranjo algorithm 222
maculopapular rash 222

pharmacovigilance 222

- Chronic bullous dermatosis of childhood 9
Corticosteroids also see steroids
 - Topical 55
 - Guidelines 55Topical
 - Steroids 55Guidelines, steroids 55
Immunofluorescence 9
Dermatopathology 9
IgA bullous diseases 9
Pattern, psychiatric disorders 13
Leishmaniasis
 - Cutaneous 18, 161, 200, 296
 - Intralesional chloroquine 18
 - Mat lippia* ointment 108
 - Treatment 161
 - clinical presentations 161
 - diagnosis 161

- Mucocutaneous 200
 - cellular immune host response 296
 - T cell population 296
- Leishmania* parasite 200
- LT (*Leishmania* trophozoite bodies) 200
- Saa-dana 18
- Steroids
 - Oral 22
 - Side effects 22
- Psoriasis
 - PUVA 26
 - UVB 26
 - Pathogenesis 42
 - Biological agents 42
 - methotrexate 247
 - hydroxyurea 247
 - PASI 247
- T lymphocytes
 - Psoriasis 42
- Data 60
- Variables 60
- Measurement scales 60
- Cryotherapy 87
- Atrophoderma of Pasini and Pierini 89
- Antinuclear antibodies 89
- Syphilis, early 92
- Anal fissure 92
- Homosexuality 92
- Ekboms disease 99
- Parasitosis 99
- Delusions, parasitosis 92
- Antipsychotics 99,
ECT 99
- Mastocytoma 99.

- Acne vulgaris
 - Roxithromycin 33
- Roxithromycin
 - Acne 33
- Atopic dermatitis 37
 - Cyclosporine 37
- Cyclosporine 37
 - Atopic dermatitis 37
- Antibiotics
 - Injudicious use 105.
 - Resistance 105
- Mat lippia*
 - Ointment in leishmaniasis 108.
- Lippia nidoflora* L
 - Antifungal activity 113
- Antifungal activity
 - Of *Lippia nidoflora* L 113
- Hemangioma
 - Infantile 119
 - localized 119
 - segmental 119
 - multifocal
- atopy 125
- eczema, endogenous 125
- Denni-Morgan fold 125
- infections
 - In Atopic dermatitis 125
- chemical peeling 130
- Melasma
 - And chemical peeling 130
- glycolic acid, peeling 130
- nickel 135
- Dermatitis
 - nickel 135
- alopecia areata 140
- minoxidil 140
- isotretinoin 140
- hair follicles 140
- Vitiligo 146
- narrowband UVB
 - and Vitiligo 146
- repigmentation 146
- tuberculosis 151
- Mycobacterium tuberculosis* 151
- sputum microscopy 151
- Mantoux test 151
- Antituberculous drugs 151
- Dapsone 172
 - toxicity 172
 - dermatitis herpetiformis 172
 - linear IgA disease 172
 - bullous pemphigoid 172
 - cicatricial pemphigoid 172
 - bullous SLE 172
 - epidermolysis bullosa acquisita 172
 - Pemphigus 172
 - syndrome 210
 - jaundice 210
 - hepatotoxicity 210
- vasculitis, cutaneous
 - classification 182
 - clinical presentations 182
 - treatment 182
 - diagnosis 182
 - dopamine
 - Gangrene 197
 - ischemia 197
 - shock 197
- Buerger's disease 204
 - Sympathectomy 204
- trichoepithelioma 207
 - Familial 207
- epidermolysis bullosa acquisita 214
- Dermatoepidemiology (editorial) 219, 261
- diabetes mellitus 227
 - cutaneous manifestations 227
- chronic liver disease

- cutaneous manifestations 233
- cutaneous manifestations
 - diabetes mellitus 227
 - chronic liver disease 233
- 13-cis retinoic acid, also see isotretinoin
 - acne vulgaris 238
- isotretinoin
 - acne 242
 - depression 242
 - teratogenicity 242
- acne vulgaris
 - 13-cis retinoic acid 238
 - isotretinoin 242
- Vitiligo 252
 - calcipotriol 252
 - tacrolimus 252
 - pimecrolimus 252
 - catalase 252
- evidence-based medicine 261
- epidemiology 261
- biostatistics 261
- food
 - and skin 268
- aplasia cutis congenital
 - familial 275
- keratoelastoidosis marginalis 278
- Cornelia De Lange syndrome 281
 - and generalized pustular psoriasis 281
- papulonecrotic tuberculid 285
 - glans penis 285
- Netherton's syndrome (PhotoDermDiagnosis) 288
- Darier's disease (PhotoDermDiagnosis) 255.
- Pityriasis versicolor
 - Clotrimazole 313
 - sulphur-salicylic acid 313
 - keratolytic soaps 313
- Teledermatology 317
- teleconsultation 317
- telesupervision 317
- Hirsutism 320
- diagnostic approach 320
- sexual dysfunctions 328
- impotence 328
- orgasmic disorders 328
- premature ejaculation 328
- masturbation 328
- dhat syndrome 328
- phosphodiesterase type-5 inhibitors 328
- selective serotonin reuptake inhibitors 328
- quality of life 339
- dermatology life quality index, DLQI 339
- Maffucci's syndrome 345
- hemangiomas 345
- enchondromas 345
- harlequin fetus 348
- ichthyosis congenita 348
- eclabium 348
- ectropion 348
- alkaptonuria 359
- homogentisic acid 359
- ochronosis 359
- arthritis 359
- ICMTE guidelines 359
- Index (volume 15) 369

Information

Manuscripts

The JPAD agrees to accept manuscripts prepared in accordance with the "Uniform Requirements for Manuscript Submission to the Biomedical Journals" approved by the International Committee of Medical Journals Editors. Three copies of all material for publication should be sent to Dr. Ijaz Hussain, Editor, JPAD, Department of Dermatology, Mayo Hospital, Lahore, e-mail:

dr_ijazhussain@hotmail.com

dr_ijazhussain@yahoo.com

Manuscripts should be printed on one side of paper only, with a 2.5 cm margin on either side, be double spaced, and bear the title of the paper, name and address of each author, together with the name of the hospital, laboratory or institution where the work has been carried out. The name and full address of corresponding author should be given on the first page. Pages should be numbered. Authors should keep a copy of the manuscript.

In addition to the hard copy, an exact copy of the manuscript, containing all parts of the paper, must be submitted on high-density disk. The editor reserves the right to make corrections, both literary and technical, to the papers. Papers received are supposed to have been submitted exclusively to the Journal of Pakistan Association of Dermatologists and all authors must give a signed consent to publication in a letter sent with the manuscript. Authorship implies a significant contribution. In case of clinical trials, the names of pharmaceutical sponsors should be mentioned.

Types of articles

JPAD welcomes original and review articles, case reports, quizzes, items of correspondence etc. addressing any aspect of dermatology.

The original article should be of about 2000 words, with no more than 6 tables or illustrations. Letters should not normally exceed 400 words and have more than 10 references.

Parts of the paper

The manuscript should be prepared as below. Title: In addition to the full title of the paper, a short version not more than 50 characters, for a running head, be provided.

Author(s) details: Name(s) of the author(s) should be given as initial(s) followed by surnames, and should be clearly linked to the respective addresses by the use of symbols e.g. *, †, ‡ etc.

Abstract: All articles other than correspondence should have an abstract. The original articles should have a structured abstract comprising of 4 subheadings: background, methods, results and conclusions. Keywords ≤ 5 should be provided to aid indexing.

Main text: The main text should appear in the following sequence: introduction, methods, results,

for

Authors

discussion, acknowledgments, references, tables and legends for illustrations. Each section should begin on a new page. Generic names of the drugs should be used. Full names with abbreviations must be used given with the first mention, thereafter the abbreviation will be used. Abbreviations should be used for unwieldy names or where the names occur frequently. For all quantitative measurements the International System of Units (SI) should be used.

References

Only papers closely relevant to the author's work should be referred to. References should be in the Vancouver style i.e. references should be written as unbracketed superscript numbers in the order in which they appear in the text e.g. 'our previous reports¹ and that of Cohen et al.^{2,3,4,5,6,7}'. At the end of the article, references should give the name(s) and initials of author(s). If there are more than four authors, include the first three authors followed by et al., title of the journal abbreviated in the standard manner (as published in the Index Medicus), year of publication, volume number, and first and final numbers of the article, e.g. Grattan C, Powell S, Humphreys F. Management and diagnostic guidelines for urticaria and angio-oedema. *Br J Dermatol* 2001; 144: 708-14. References to books should give the name(s) followed by initials of author(s) or editor(s), chapter (if relevant), book title, edition, place, publisher, year, and pages referred to e.g. Friedman WF, Child JS. Congenital heart disease in the adult. In: Fauci AS, Braunwald E, Isselbacher KJ et al., editors. *Harrison's principles of internal medicine*. 14th edn. New York: McGraw-Hill; 1998. p. 1300-9.

Tables

There should be as few tables as possible and these should include only essential data. These should be printed on separate sheets and should be given Arabic numbers. No horizontal or vertical rules should be used. Avoid wordy, over-full tables. Legends should be provided.

Illustrations

Three sets of illustrations should be sent with each manuscript. Illustrations should be referred to in the text as 'Figures' and be given Arabic numbers. Each figure should be marked on the back with the name of the author(s), the title of the paper and the reference number used in the text. Orientation of the illustration should be indicated by marking the top with arrow. Photographs should be unmarked glossy prints. Diagrams should be on separate sheets and a legend should be provided for each illustration.

Proofs

Page proofs will be sent, without the original manuscript, to the corresponding author for proof correction and should be returned to the editor within three days. Major alterations from the text cannot be

accepted. Any alterations should be marked,
preferably in red.